

# Safety Data Sheet

according to UK REACH Regulation

## Sauna-Duft-Konzentrat Nordische Birke

Revision date: 02.09.2024

Product code: F100030318

Page 1 of 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Premium Sauna Scent Nordic Birch, Sauna Aroma Concentrate Nordic Birch, SAC260100NB, SAC261000NB

UFI: YXXP-720M-F00H-UTN6

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Dosage: give 5 ml on 1 litre of water, well mix.

##### Uses advised against

No data available

#### 1.3. Details of the supplier of the safety data sheet

Company name: Harvia Finland OY  
Place: FIN-40951 Muurame  
Post-office box: P.O.Box 12  
FIN Muurame  
Telephone: +358 207 464 000  
E-mail: m.woermanseder@harvia.com  
Contact person: Markus Wörmanseder  
Internet: www.harvia.com  
Responsible Department: Poison advisory center

#### 1.4. Emergency telephone number:

+358 9 471 977

#### Further Information

Plastic bottle 100 ml and 1l

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GB CLP Regulation

Flam. Liq. 3; H226  
Eye Irrit. 2; H319  
STOT SE 3; H336  
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

##### GB CLP Regulation

##### Hazard components for labelling

propan-2-ol; isopropyl alcohol; isopropanol

Signal word: Warning

##### Pictograms:



##### Hazard statements

H226 Flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H412 Harmful to aquatic life with long lasting effects.

**Safety Data Sheet**

according to UK REACH Regulation

**Sauna-Duft-Konzentrat Nordische Birke**

Revision date: 02.09.2024

Product code: F100030318

Page 2 of 10

**Precautionary statements**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing smoke.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P312	Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2 to extinguish.
P233	Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

**Special labelling of certain mixtures**

EUH208 Contains propan-2-ol; isopropyl alcohol; isopropanol. May produce an allergic reaction.

**Labelling of packages where the contents do not exceed 125 ml****Signal word:** Warning**Pictograms:****Hazard statements**

H412

**Precautionary statements**

P273

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

# Safety Data Sheet

according to UK REACH Regulation

## Sauna-Duft-Konzentrat Nordische Birke

Revision date: 02.09.2024

Product code: F100030318

Page 3 of 10

### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			25 - < 30 %
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
2216-51-5	L-Menthol			1 - < 5 %
	218-690-9			
	Skin Irrit. 2; H315			
79-92-5	Camphen			< 1 %
	201-234-8			
	Flam. Sol. 1, Eye Irrit. 2, Aquatic Chronic 1; H228 H319 H410			
91-64-5	2H-1-Benzopyran-2-on; Coumarin			< 1 %
	202-086-7			
	Acute Tox. 4, Skin Sens. 1, STOT RE 2; H302 H317 H373			
2050-08-0	Pentyl-2-hydroxybenzoat			< 1 %
	218-080-2			
	Aquatic Chronic 1; H410			
84-66-2	Diethylphthalat			< 1 %
	201-550-6			
	Acute Tox. 3; H331			

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	25 - < 30 %
	inhalation: LC50 = 30-46,5 mg/l (vapours); dermal: LD50 = 12800-13400 mg/kg; oral: LD50 = 4570-5045 mg/kg		
91-64-5	202-086-7	2H-1-Benzopyran-2-on; Coumarin	< 1 %
	oral: ATE = 500 mg/kg		
84-66-2	201-550-6	Diethylphthalat	< 1 %
	inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists)		

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

If victim is at risk of losing consciousness, position and transport on their side.

#### After inhalation

Provide fresh air. Seek medical attention if problems persist.

#### After contact with skin

After contact with skin, wash immediately with: Water and soap.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

# Safety Data Sheet

according to UK REACH Regulation

## Sauna-Duft-Konzentrat Nordische Birke

Revision date: 02.09.2024

Product code: F100030318

Page 4 of 10

### After ingestion

Seek medical attention if problems persist.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry extinguishing powder. Foam.

#### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

### 5.3. Advice for firefighters

No special measures are necessary.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Do not rinse down with water.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

#### Advice on protection against fire and explosion

Take precautionary measures against static discharges.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

#### Further information on storage conditions

Protect against: heat.

### 7.3. Specific end use(s)

No data available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Safety Data Sheet**

according to UK REACH Regulation

**Sauna-Duft-Konzentrat Nordische Birke**

Revision date: 02.09.2024

Product code: F100030318

Page 5 of 10

**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
76-22-2	Bornan-2-one	2	13		TWA (8 h)	WEL
		3	19		STEL (15 min)	WEL
84-66-2	Diethyl phthalate	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL

**8.2. Exposure controls****Individual protection measures, such as personal protective equipment****Eye/face protection**

Tightly sealed safety glasses.

**Hand protection**

Before using check leak tightness / impermeability. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Respiratory protection**

Respiratory protection necessary at: insufficient ventilation. Work in well-ventilated zones or use proper respiratory protection.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid:	
Colour:	transparent	
Odour:	characteristic	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		not determined
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		24 °C
Auto-ignition temperature:		not determined
pH-Value (at 20 °C):		5-6
Water solubility:		Immiscible
Vapour pressure:		not determined
Vapour pressure:		not determined
Density:		0,900 g/cm <sup>3</sup>
Relative density:		not determined

**9.2. Other information****Information with regard to physical hazard classes**

Explosive properties  
not Explosive.

Sustaining combustion: No data available

**Other safety characteristics**

Sublimation point: not determined

## Safety Data Sheet

according to UK REACH Regulation

### Sauna-Duft-Konzentrat Nordische Birke

Revision date: 02.09.2024

Product code: F100030318

Page 6 of 10

Flow time:

not determined

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

No further relevant information available.

##### 10.2. Chemical stability

No known hazardous decomposition products.

##### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

##### 10.4. Conditions to avoid

No further relevant information available.

##### 10.5. Incompatible materials

No further relevant information available.

##### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

##### Further information

No risks worthy of mention.

#### SECTION 11: Toxicological information

##### 11.1. Information on hazard classes as defined in GB CLP Regulation

###### Acute toxicity

Based on available data, the classification criteria are not met.

###### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	oral	LD50 4570-5045 mg/kg	Rat.		
	dermal	LD50 12800-13400 mg/kg	Rabbit		
	inhalation vapour	LC50 30-46,5 mg/l	Rat.		
91-64-5	2H-1-Benzopyran-2-on; Coumarin				
	oral	ATE 500 mg/kg			
84-66-2	Diethylphthalat				
	inhalation vapour	ATE 3 mg/l			
	inhalation dust/mist	ATE 0,5 mg/l			

###### Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

###### Sensitising effects

Based on available data, the classification criteria are not met.

Contains propan-2-ol; isopropyl alcohol; isopropanol. May produce an allergic reaction.

###### Carcinogenic/mutagenic/toxic effects for reproduction

# Safety Data Sheet

according to UK REACH Regulation

## Sauna-Duft-Konzentrat Nordische Birke

Revision date: 02.09.2024

Product code: F100030318

Page 7 of 10

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Additional information on tests

The evaluation was carried out according to the calculation method of the Preparations Directive.  
irritant.

- Mutagen  
none
- Carcinogenicity  
none
- Teratogen  
none
- Phototoxicity  
none

## SECTION 12: Ecological information

### 12.1. Toxicity

Harmful to aquatic organisms.

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.  
not applicable

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

### Further information

- 1 slightly hazardous to water
- Do not allow to enter into surface water or drains.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Do not allow to enter into surface water or drains.

#### Contaminated packaging

Dispose of waste according to applicable legislation.  
Cleaning agent. Water (with cleaning agent).

## Safety Data Sheet

according to UK REACH Regulation

### Sauna-Duft-Konzentrat Nordische Birke

Revision date: 02.09.2024

Product code: F100030318

Page 8 of 10

#### SECTION 14: Transport information

##### Land transport (ADR/RID)

<b>14.1. UN number or ID number:</b>	UN 1993
<b>14.2. UN proper shipping name:</b>	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALKOHOL))
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E

##### Other applicable information (land transport)

Special provisions: 274 601 640H

Transport category: 3

##### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	UN 1993
<b>14.2. UN proper shipping name:</b>	FLAMMABLE LIQUID, N.O.S.(ISOPROPANOL (ISOPROPYL ALCOHOL))
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3
Special Provisions:	223, 274, 955
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-E, S-E

##### Other applicable information (marine transport)

Special provisions: 223, 330, 274, 944, 955

##### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	UN 1993
<b>14.2. UN proper shipping name:</b>	FLAMMABLE LIQUID, N.O.S.
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3
Special Provisions:	A3
Limited quantity Passenger:	10 L
Passenger LQ:	Y344
Excepted quantity:	E1
IATA-packing instructions - Passenger:	355
IATA-max. quantity - Passenger:	60 L
IATA-packing instructions - Cargo:	366
IATA-max. quantity - Cargo:	220 L

##### Other applicable information (air transport)

Special provisions: A3

##### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

##### 14.6. Special precautions for user

Flammable liquids

##### 14.7. Maritime transport in bulk according to IMO instruments

**Safety Data Sheet**

according to UK REACH Regulation

**Sauna-Duft-Konzentrat Nordische Birke**

Revision date: 02.09.2024

Product code: F100030318

Page 9 of 10

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Directive 2004/42/EC on VOC in  
paints and varnishes: 252,00 g/L**National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

**Additional information**

Customs tariff number 33029010

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

**SECTION 16: Other information****Abbreviations and acronyms**

Flam. Liq: Flammable liquids

Flam. Sol: Flammable solids

Acute Tox: Acute toxicity

Skin Irrit: Skin irritation

Eye Irrit: Eye irritation

Skin Sens: Skin sensitisation

STOT SE: Specific target organ toxicity - single exposure

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Chronic: Chronic aquatic hazard

**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H336	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains propan-2-ol; isopropyl alcohol; isopropanol. May produce an allergic reaction.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of

**Safety Data Sheet**

according to UK REACH Regulation

**Sauna-Duft-Konzentrat Nordische Birke**

Revision date: 02.09.2024

Product code: F100030318

Page 10 of 10

product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*